


VENT DATA SHEET



NFVA
Net Free
Ventilation Area
78.00
Sq. In.

PATENTED
DESIGN INSTALLS
BELOW SOLAR
PANELS



CONTACT:
sales@ohagin.com

METAL UPGRADE OPTIONS

- .032" Aluminum, 50 Year Warranty
- 16 oz. Copper, 50 Year Warranty

NONCOMBUSTIBLE, CORROSION-RESISTANT WIRE MESH UPGRADE OPTIONS

- 1/4" Stainless Steel Wire Mesh
- 1/8" Galvanized Steel Wire Mesh
- 1/8" Stainless Steel Wire Mesh

SELECT ROOFING MATERIAL MANUFACTURER



O'HAGIN IS PROUD TO WORK WITH THESE AND MANY OTHER QUALITY MANUFACTURERS

BUILD YOUR VENT



TRADITIONAL

26 Gauge G90
Galvanized Steel;
4" Flange with
1/4" noncombustible,
corrosion-resistant
wire mesh.

FIRE & ICE

26 Gauge G90
Galvanized Steel;
4" Flange with
1/8" noncombustible,
corrosion-resistant
wire mesh AND
patented stainless
steel fine/flexible
wire filament.

WEATHER * MASTER

26 Gauge G90
Galvanized Steel;
4" Flange with
1/4" noncombustible,
corrosion-resistant
wire mesh AND
patented stainless
steel fine/flexible
wire filament.

*Brands and Trademarks may vary by region.

NET FREE VENTILATION AREA

LOW PROFILE (TAPERED)

1/4" Wire Mesh	78.00 sq. in.
1/8" Wire Mesh	70.20 sq. in.

Figures based on independent evaluation reports.

"HOW MANY ATTIC
VENTS DO I NEED?"



**FREE VENT
CALCULATOR**

"WHERE DO I
PLACE VENTS?"



**FREE
VENT PLANS**

QUESTIONS?



www.ohagin.com

210 Classic Court, Suite 100
Rohnert Park, CA 94928
Toll Free 877-324-0444 • Fax 707-588-9187

CLIMATE-RESISTANT UPGRADE OPTIONS



1/8" noncombustible, corrosion-resistant wire mesh
AND patented stainless steel fine/flexible wire filament.



1/4" noncombustible, corrosion-resistant wire mesh
AND patented stainless steel fine/flexible wire filament.

Z-Baffles (Snow Load)

Recommended in areas where Ice Barriers are required (IRC 905.1.2).



**WILDFIRE RISK TO
COMMUNITIES**



LOCAL AND NATIONAL APPROVALS

O'Hagin is a recognized leader in attic ventilation testing and design.



For additional info visit ohagin.com