

PITCH PERFECT™ METAL RIDGE VENT

Specifically designed for Metal and Shingle Roofs



Patent Pending
WUI Compliant Ridge Vent



NET FREE VENTILATION AREA

1/4" Wire Mesh	60.00 sq. in.
1/8" Wire Mesh	54.00 sq. in.

Figures based on independent evaluation reports.

FEATURES

- 26 Gauge G90 Galvanized Steel
- 20 Year Warranty
- 1/4" Noncombustible, Corrosion-Resistant Wire Mesh
- Integrated High Wind Diverter

UPGRADES?



METAL UPGRADE OPTIONS

- .032" Aluminum, 50 Year Warranty
- 16 oz. Copper, 50 Year Warranty

FINISH UPGRADE OPTIONS



CLIMATE-RESISTANT UPGRADE OPTIONS

Stainless Steel or 1/8" Noncombustible, Corrosion-Resistant Wire Mesh

Patented Stainless Steel Fine/Flexible Wire Filament

O'HAGIN VENTS EXCEED INDUSTRY PERFORMANCE STANDARDS



CLIMATE-RESISTANT ATTIC VENTS

FLAME • EMBER • SNOW • RAIN



TESTED to 140 mph wind-driven rain (category 4 hurricane).
PASSED: Wind-driven rain tested for 75 feet–five plus stories.



Crafted with noncombustible, corrosion resistant material specifically to meet the new WUI building code.



Brands and Trademarks may vary by region.

LOCAL AND NATIONAL APPROVALS

O'Hagin is a recognized leader in attic ventilation testing and design.



For additional info visit ohagin.com

RECOGNITION



This product is qualified for use as a component of a FORTIFIED™-eligible and Wildfire Prepared Home™-eligible roof system. Use of this product does not guarantee a FORTIFIED™ and/or Wildfire Prepared Home™ designation. To be eligible for a FORTIFIED™ designation, a complete roofing system (components and accessories) must meet the requirements detailed in the FORTIFIED™ and be installed by a certified FORTIFIED™ Roofing Contractor. WILDFIRE PREPARED Home™ designation requires the entire structure—including all components and accessories—Wildfire Prepared Home™ Standard Wildfire Prepared Home™ Standard Products that are required to meet the standard include but may not be limited to: roof coverings, attic ventilation components, a qualified sealed roof deck system, roof underlayments, edge metal and appropriate fasteners for all mechanically fastened components. Documentation for all products and their installation is required. Additional requirements, eligibility criteria and restrictions apply. See the current FORTIFIED™ standard at <https://fortifiedhome.org/technical-documents/> and the current Wildfire Prepared Home™ standard at <https://wildfireprepared.org> for details.