



[BCIS Home](#) | [Log In](#) | [User Registration](#) | [Hot Topics](#) | [Submit Surcharge](#) | [Stats & Facts](#) | [Publications](#) | [Contact Us](#) | [BCIS Site Map](#) | [Links](#) | [Search](#)



Product Approval
USER: Public User

[Product Approval Menu](#) > [Product or Application Search](#) > [Application List](#) > **Application Detail**

OFFICE OF THE SECRETARY

FL #	FL17048
Application Type	New
Code Version	2017
Application Status	Approved
Comments	
Archived	<input type="checkbox"/>
Product Manufacturer Address/Phone/Email	OHagin Manufacturing, LLC 210 Classic Court #100 Rohnert Park, CA 94928 (707) 872-3620 gdaniels@ohagin.com
Authorized Signature	Gregory Daniels gdaniels@ohagin.com
Technical Representative Address/Phone/Email	Gregory Daniels 210 Classic Court #100 Rohnert Park, CA 94928 (707) 872-3620 gdaniels@ohagin.com
Quality Assurance Representative Address/Phone/Email	
Category	Roofing
Subcategory	Roofing Accessories that are an Integral Part of the Roofing System
Compliance Method	Evaluation Report from a Florida Registered Architect or a Licensed Florida Professional Engineer <input type="checkbox"/> Evaluation Report - Hardcopy Received
Florida Engineer or Architect Name who developed the Evaluation Report	Zachary R. Priest
Florida License	PE-74021
Quality Assurance Entity	QAI Laboratories
Quality Assurance Contract Expiration Date	12/31/2099
Validated By	Locke Bowden P.E. <input checked="" type="checkbox"/> Validation Checklist - Hardcopy Received
Certificate of Independence	FL17048_R0_COI_OHAG19001_2017_FBC_Eval_Vents.pdf
Referenced Standard and Year (of Standard)	Standard TAS 100(A) Year 1995
Equivalence of Product Standards Certified By	
Sections from the Code	
Product Approval Method	Method 1 Option D

Date Submitted 10/17/2019
 Date Validated 10/17/2019
 Date Pending FBC Approval 10/22/2019
 Date Approved 12/10/2019

Summary of Products

FL #	Model, Number or Name	Description
17048.1	Cloaked Vent Tile and Fire & Ice - Flame and Ember Resistant Off-Ridge Attic Vent	Two-piece metal roof vent for tile roofs consisting of a Primary Vent (subflashing) with a diverter flange and a profile-specific Secondary Vent (cover). Composed of minimum 26 ga. ASTM A653 G90 steel, 0.032 aluminum or 16 oz. copper.
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL17048_R0_II_OHAG19001_2017_FBC_Eval_Vents.pdf Verified By: Zachary R. Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL17048_R0_AE_OHAG19001_2017_FBC_Eval_Vents.pdf Created by Independent Third Party: Yes
17048.2	Low Profile Tapered Composition Vent 72" and Fire & Ice - Flame and Ember Resistant Compo 72" Shingle Vent	Static off-ridge vent composed of minimum 26 ga. ASTM A653 G90 steel, 0.032 aluminum or 16 oz. copper.
Limits of Use Approved for use in HVHZ: Yes Approved for use outside HVHZ: Yes Impact Resistant: N/A Design Pressure: N/A Other: See evaluation report for limits of use.		Installation Instructions FL17048_R0_II_OHAG19001_2017_FBC_Eval_Vents.pdf Verified By: Zachary R. Priest PE-74021 Created by Independent Third Party: Yes Evaluation Reports FL17048_R0_AE_OHAG19001_2017_FBC_Eval_Vents.pdf Created by Independent Third Party: Yes

[Back](#) [Next](#)

Contact Us :: 2601 Blair Stone Road, Tallahassee FL 32399 Phone: 850-487-1824

The State of Florida is an AA/EEO employer. Copyright 2007-2013 State of Florida. :: [Privacy Statement](#) :: [Accessibility Statement](#) :: [Refund Statement](#)

Under Florida law, email addresses are public records. If you do not want your e-mail address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275 (1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public. To determine if you are a licensee under Chapter 455, F.S., please click [here](#).



Credit Card
Safe

