

CITY OF LOS ANGELES

CALIFORNIA



ERIC GARCETTI
MAYOR

BOARD OF
BUILDING AND SAFETY
COMMISSIONERS

VAN AMBATIELOS
PRESIDENT

E. FELICIA BRANNON
VICE PRESIDENT

JOSELYN GEAGA-ROSENTHAL
GEORGE HOVAGUIMIAN
JAVIER NUNEZ

DEPARTMENT OF
BUILDING AND SAFETY
201 NORTH FIGUEROA STREET
LOS ANGELES, CA 90012

FRANK M. BUSH
GENERAL MANAGER
SUPERINTENDENT OF BUILDING

OSAMA YOUNAN, P.E.
EXECUTIVE OFFICER

O'Hagin Manufacturing, LLC.
210 Classic Court, Suite 100
Rohnert Park, CA 94928

RESEARCH REPORT: RR 25497
(CSI # 10230)

Attn: Gregory S. Daniels
(707) 872-3620

Expires: September 01, 2020
Issued Date: September 01, 2018
Code: 2017 LABC

GENERAL APPROVAL – Reevaluation - O'Hagin's Model "S" Cloaked Vent Tile for attic ventilation.

DETAILS

O'Hagin's Model "S" Cloaked Vent Tiles are comprised of two pieces. A 25 ½" x 11" sub-flashing constructed of galvanized sheet steel with a formed opening covered with galvanized wire mesh for insert protection and a 25" x 19 ½" formed galvanized steel hood with two cut openings on the underside, also covered with galvanized wire mesh.

O'Hagin's Model "S" Cloaked Vent Tiles can be used to provide attic ventilation for roofs and roofing structures employing clay or concrete tile roofs.

The approval is subject to the following requirements:

1. Location and specifications of O'Hagin's Cloaked Vent Tiles shall be shown on approved plans.
2. Installation of the O'Hagin's Cloaked Vent Tiles shall be in accordance with the manufacturer's written instructions and as specified herein. A copy shall be kept at the job site.
3. O'Hagin's Cloaked Vent Tile vents have a rating of 95 square inches Net Free Ventilation Area and simply take the place of two roofing tiles specified for the job.
4. All O'Hagin's Cloaked Vent Tiles are stamped with an identifying mark. No substitutions will be accepted.

RR 25497
Page 1 of 2

O'Hagin Manufacturing, LLC.

RE: O'Hagin's Model "S" Cloaked Vent Tile for attic ventilation

5. O'Hagin's Cloaked Vent Tiles shall be manufactured by O'Hagin Manufacturing, LLC., according to sizes, styles and materials as indicated on approved plans.

DISCUSSION

The report is in compliance with the 2017 City of Los Angeles Building Code.

O'Hagin's Cloaked Vent Tile approval is based on tests.

Addressee to whom this Research report is issued is responsible for providing copies of it, complete with any attachments indicated, to architects, engineers and builders using items approved herein in design or construction which must be approved by Department of Building and Safety Engineers and Inspectors.

This general approval of an equivalent alternate to the Code is only valid where an engineer and/or inspector of this Department has determined that all conditions of this Approval have been met in the project in which it is to be used.



QUAN NGHIEM, Chief
Engineering Research Section
201 N. Figueroa St., Room 880
Los Angeles, CA 90012
Phone- 213-202-9812
Fax- 213-202-9943



BKR
RR25497
R08/1720/18
TLB1800180
1203.2/1503